














1102N
























1102F








1102

NR	ELEMENT	1102N	1102F
E1		1	1
E2		1	1
E3		1	1
E4		1	1
E5		1	1
E6		1	1


NR	ELEMENT	1102N	1102F
E7	 <p>F11P_1_HP_g13_v2 83cm x 83cm</p>	1	1
E8		1	1
E9	 <p>R1100_3_Y_v1 L= 70cm</p>	2	2
E10	 <p>H=120cm</p>	1	1
E11		1	1
E12	 <p>H=120cm</p>	1	1

NR	ELEMENT	1102N	1102F
E13	<div><p>H=120cm</p></div>	1	1
E14	<div><p>F11W_5_HP_g13_v1</p></div>	1	1
E15	<div><p>F1100_11_PE_g15_v1</p></div>	1	1
E16	<div><p>F11X_11_PE_g15_v1</p></div>	2	2
E17	<div></div>	1	1

				1102N	1102F
Nr	Element	DIN	ELEMENT	Σ	Σ
3		-	K2_d30_B	3	3
4		DIN 125	10x20	3	3
6		-	Z2_d30_B	3	3
10		DIN 9021	6x18	34	34
15		ISO 7380	M6x30	8	8
16		-	K1_d21_B	34	34
17		-	Z1_d21_B	34	34
18		DIN 985	M6	34	34
21		DIN 125	8x16	19	23
22		DIN 125	6x12	42	46
23		-	M6x12	16	20
24		ISO 7380	M6x16	8	12
25		ISO 7380	M6x35	26	26
29		-	K_5_A2_g2_G_v2	4	4
31		DIN 985	M8	3	3
58		-	LOCTITE	1	1
61		-	KL105		23
1/2					

				1102N	1102F
Nr	Element	DIN	ELEMENT	Σ	Σ
109		DIN 913	10x10	2	2
121		-	7100_5_A2_ g3_G_v1		2
139		DIN 7991	M6x16		8
142		ISO 7380	M8x40	3	3
213		-	Z_NA_1	1	1
214		-	Z_NA_2	1	1

1102N
1102F



"0"

Technical drawing of a mechanical component, likely a valve or actuator, showing dimensions in millimeters. The drawing includes a top view and a side view.


Top View Dimensions:

- Overall width: 559
- Overall height: 780
- Distance from left edge to centerline: 150
- Distance from right edge to centerline: 150
- Distance from top edge to centerline: 150
- Distance from bottom edge to centerline: 200
- Distance from centerline to left edge of the actuator: 100
- Distance from centerline to right edge of the actuator: 100


Side View Dimensions:

- Overall height: 430
- Distance from top edge to centerline: 150
- Distance from bottom edge to centerline: 200

The drawing shows a central actuator with a handle and a valve body. The handle is on the left, and the valve body is on the right. The valve body has a central opening and a flange at the bottom. The actuator is mounted on a base with a central opening.




1102N
1102F




1 1102N
1102F

INST_11_11
INST_11_18



2 1102N
1102F


INST_11_18



3 1102N
1102F




INST_11_05
INST_11_41
INST_11_68A



4 1102N
1102F




INST_11_68C




5 1102N
1102F

 INST_11_71




6 1102N
1102F

 INST_11_37




7 1102N
1102F

 INST_11_57








8 1102N
1102F


 INST_11_70
INST_Z_1



1102N



1102F

Nr	Σ	Element	DIN	ELEMENT
61	3		-	KL105

